

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 9]

NEW DELHI, SATURDAY, MARCH 7, 1959/PHALGUNA 16, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th February, 1959

		CHOLERA]		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
Andhra Pradesh								Delhi							
" N. R. "								Delhi City							
Assam								New Delhi							
Cachar				2	3	Delhi Civil Lines Zone							
Kamrup				3	1	Delhi Shahdara							
TOTAL				5	4	TOTAL							
Total for w/c 31-1-59				4	Total for w/c 31-1-59							
Total for w/c 24-1-59	Total for w/c 24-1-59							
Bihar								Himachal Pradesh							
" N. R. "								" N. R. "							
Bombay								Kerala							
Greater Bombay				6	4	Trivandrum							
Amreli				2	1	Quilon							
Baroda				2	Alleppey							
Sorath				2	1	Kottayam							
Ahmednagar				8	2	Tirchur							
East Khandesh				11	1	Palghat							
Nasik				23	5	Kozhikode							
Poona				55	10	Cannanore							
North Satara				5	TOTAL							
South Satara				1	Total for w/c 31-1-59							
Sholapur				10	Total for w/c 24-1-59							
West Khandesh				3	5.	Madhya Pradesh							
Amraoti				4	" N. R. "							
TOTAL				132	14	Madras							
Total for w/c 31-1-59	26	6	112	16	Madras city							
Total for w/c 24-1-59	135	30	Chingleput							
								South Arcot							
								Tiruchirappalli							

Explanation of Symbols used :—C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th February, 1959—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Madras— <i>contd.</i>								Punjab							
Tanjore	6	4	Ambala	4
Madurai	3	Gurdaspur	2
North Arcot	2	1	8	2	TOTAL	2	4
Salem	4	1	4	2	..	Total for w/c 31-1-59	5
Coimbatore	26	5	Total for w/c 24-1-59	3	5
Nilgiris	1	Rajasthan							
Kanya Kumari	1	"N.R."							
TOTAL	13	6	124	29	4	2	..	Tripura							
Total for w/c 31-1-59	27	16	213	57	3	"N.R."							
Total for w/c 24-1-59	78	34	207	55	Uttar Pradesh							
Manipur								Almora	1
TOTAL	Aligarh	13	1
Total for w/c 31-1-59	Azamgarh	4
Total for w/c 24-1-59	Bareilly	1
Mysore								Banda	4	2
"N.R."								Deoria	14	4
Orissa								Etawah	1	1
Cuttak	9	Farrukhabad	5	3
Puri	13	Gharwal	1
Ganjam	31	5	Jaunpur	8	5
Koraput	62	4	Kanpur	2	1
Sambalpur	14	3	Kheri	2
Sundergarh	1	Mathura	9	3
Bolangir	11	10	Muzaffarnagar	3	2
Khondamals	4	Nanital	2	1
Mayurbhanj	10	1	Pilibhit	10	4
Kalahandi	24	6	Saharanpur	5	2
TOTAL	175	33	Lucknow	1
Total for w/c 31-1-59	5	1	277	53	TOTAL	85	30
Total for w/c 24-1-59	3	2	223	37	Total for w/c 31-1-59	99	35
Pondicherry								Total for w/c 24-1-59	115	23
TOTAL	7	5	West Bengal							
Total for w/c 31-1-59	24	7	Burdwan	39	21
Total for w/c 24-1-59	11	4	Birbhum	4	1
								Bankura	2	1	19	7	..
								Midnapur	12	4
								Hoogly	36	10

Explanation of Symbols used:—C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th February, 1959—*concl'd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
West Bengal—<i>cont'd.</i>								ARREAR INFORMATION							
Calcutta	1	1	Andhra Pradesh							
Nadia	4	2	<i>w/e 17-1-59</i>							
West Dinajpur	33	9	Visakhapatnam	..	2	4	6	2
Darjeeling	1	East Godawari	15	4
Malda	40	4	West Godawari	..	22	9
Purulia	6	Krishna	..	5	5	2	1
TOTAL	..	2	1	195	59	Guntur	..	8	7	77	9
Total for w/e 31-1-59	7	4	126	42	Nellore	..	12	8	2
Total for w/e 24-1-59	5	..	176	61	Kurnool	2
Total for India (Excluding Andhra Pradesh, Bihar, Himachal Pradesh, Madhya Pradesh, Mysore, Rajasthan, and Tripura).								Anantapur	7
Corresponding total for w/e 31-1-59	41	27	953	238	3	Total	..	49	33	111	16
Corresponding total for w/e 24-1-59	86	36	1018	251	Tripura							
*Excluding Delhi	<i>w/e 24-1-59</i>							
Explanation of Symbols used :—C=Cases; D=Deaths; .. =Nil.								Total	..	8	3	1	1
								<i>w/e 31-1-59</i>							
								TOTAL

REMARKS

Smallpox:—Heavy incidence were reported from Koraput district of Orissa State

Plague:—Four cases and two deaths were reported from Salem district of Madras State.

NEW DELHI-2 (INDIA) ;

The 2nd March, 1959

H. R. SHARMA,

for Registrar General, India

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S

Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices : Rs. 3,325/-, Rs. 6 050/-, Rs. 13,300/-, & Rs. 26,000/-	Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.	
INVEST IN INDIA'S FUTURE DA - 58/231	

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th February, 1959.

Town†	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.]	F.	D.D.	R.D.	M.D.				
Andhra Pradesh††		"N.R."												
Assam		"N.R."												
Bihar														
Arrah	75	7	4.9	3	..	3	..	7	4.9	..	
Bettiah	41	5	6.3	1	..	1	..	5	6.3	..	
Bhagalpur	136	28	10.7	5	17	6.5	..	
Bihar	71	19	13.9	3	2.2	..	
Chapra	73	38	27.1	1	8	5.7	2	
Darbhanga†														
Dhanbad	50	10	13.9	2	6	9.8	..	
Dinapur	45	2	2.3	
Gaya	163	57	18.2	7	1	12	3.8	..	
Hazaribagh	44	15	17.7	3	3.5	..	
Jamalpur†														
Jamshedpur	275	134	25.3	1	..	15	2.8	6	
Katihar	63	16	13.2	1	0.8	1	
Monghyr	86	1	0.6	1	1	0.6	..	
Muzaffarpur	95	32	17.5	3	..	1	..	18	9.9	..	
Patna	386	83	11.2	1	1	..	27	3.6	..	
Ranchi	167	11	3.4	5	6	1.9	3	
TOTAL	1,770	458	13.5	28	2	7	..	129	3.8	12	
Bombay		"N.R."												
Delhi														
Delhi City	1,398	549	20.4	49	10	63	..	230	8.6	52	
New Delhi	600	91	7.9	2	2	..	54	4.7	22	
N.A.C. Civil Station, Delhi	229	87	19.9	..	1	..	3	..	12	..	47	10.8	8	
Delhi Cantt	63	
Delhi Shahdara	52	63	63.0	2	..	3	..	15	15.0	..	
TOTAL	2,340	790	17.6	..	1	..	54	12	80	..	346	7.7	82	
Kerala		"N.R."												
Madhya Pradesh		"N.R."												
Madras														
Ambur	48	30	32.5	3	14	15.2	5	
Arrupukottai	64	41	33.3	1	4	1	..	24	19.5	6	
Bodinayakunur†														
Chidambaram	44	26	30.7	1	16	18.9	1	
Coimbatore	279	280	52.2	..	3	..	1	14	7	3	82	15.3	12	
Cuddalore	77	42	28.4	3	..	15	..	21	14.2	4	
Dindigul	103	27	13.6	3	1	1	..	13	6.6	1	
Brode	79	62	40.8	4	2.6	..	
Gobichetipalayam	51	18	18.4	1	7	7.1	1	
Gudiyattam	60	30	26.0	3	2	..	14	12.1	3	
Kancheepuram	94	74	40.9	3	13	..	32	17.7	10	
Karaikudi	49	30	31.8	1	7	7.4	1	
Karur	60	40	34.7	..	1	1	1	16	13.9	5	
Kumbakonam	119	59	25.8	2	3	..	1	42	18.4	4	
Madras City	2,110	1,254	30.9	3	8	..	89	100	168	3	657	16.2	175	
Madurai	510	298	30.4	..	1	..	9	9	17	..	124	12.6	32	
Mayuram	55	41	38.8	..	1	1	..	1	10	9.5	1	
Maliapalayam	44	3	3.5	1	1	2	2.4	2	
Nagapattinam	62	55	46.1	1	2	1	..	23	19.3	2	
Nagercoil	113	68	31.3	1	2	2	..	16	7.4	4	
Ootacamund	54	34	32.7	4	..	8	7.7	2	
Palni	46	31	35.0	1	..	10	11.3	2	
Palayamkottai	50	31	32.2	2	2	2	..	16	16.6	3	
Periyakulam	36	30	43.3	1	1	3	1	8	11.6	3	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; N.R.=Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th February 1959—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	Deaths from :—				Total	D.R.*	I.D.
								D.D.	R.D.	M.D.				
Madras—contd.														
Pollachi . . .	63	49	40·4	1	1	1	..	10	8·3	1	
Pudukottai . . .	56	46	42·7	2	2	1	1	20	18·6	3	
Rajapalayam . . .	77	28	18·9	2	2	3	..	18	12·2	6	
Salem . . .	293	157	27·9	4	7	10	1	59	10·5	7	
Sriangam . . .	48	35	37·9	1	1	..	5	5·4	2	
Srivilliputtur . . .	46	37	41·8	3	..	3	24	27·1	4	
Tanjore . . .	138	45	17·0	3	2	4	..	51	19·2	6	
Tiruchirappalli . . .	285	121	22·1	6	5	7	..	57	10·4	7	
Tirunelveli . . .	86	57	34·5	1	2	1	19	11·5	2	
Tiruppur . . .	77	40	27·0	1	..	2	..	13	8·8	3	
Tirvannamalai . . .	48	45	48·7	1	2	1	..	16	17·3	5	
Tuticorin . . .	124	74	31·0	2	2	9	..	32	13·4	13	
Vaniyambadi . . .	46	19	21·5	2	1	4	..	15	17·0	2	
Vellore . . .	147	104	36·8	3	4	8	..	58	20·5	13	
Villapuram . . .	42	37	45·8	1	..	10	12·4	3	
Virudhunagar . . .	59	29	25·6	3	2·6	..	
TOTAL . . .	5,842	3,527	31·4	3	14	..	145	180	282	16	1,576	14·0	354	
Mysore														
Bangalore . . .	1,258	636	26·2	65	16	..	202	8·3	..	
Mysore . . .	364	194	27·7	16	3	2	..	48	6·8	1	
Kolar Gold Fields . . .	183	83	23·5	7	3	..	32	9·0	3	
Bellary . . .	83	29	18·1	2	1	1	1	22	13·4	1	
Davangere . . .	86	43	26·0	3	1	14	8·4	..	
Shimoga† . . .														
Bhadravati† . . .														
Hospet . . .	54	23	22·1	5	4·8	..	
Tumkur† . . .														
Kolar† . . .														
Chitaldrug . . .	40	10	13·0	14	18·2	..	
Hassan† . . .														
Bidar† . . .														
Gulbergat . . .														
Raichur† . . .														
Bijapur† . . .														
Belgaum . . .	114	58	26·4	4	..	3	..	39	25·2	2	
Dharwar . . .	87	28	16·7	9	5·3	..	
Bagalkot† . . .														
Mangalore† . . .														
Gadag Betegere . . .	74	53	37·1	..	1	..	10	..	6	1	29	20·3	1	
Hubli† . . .														
TOTAL . . .	2,343	1,157	25·7	..	1	..	35	76	31	3	414	9·2	8	
Orissa														
Behrampur . . .	84	57	35·3	..	1	..	4	4	2	3	38	23·5	7	
Cuttack . . .	134	165	64·0	..	1	..	7	9	7	..	46	17·9	4	
Puri . . .	57	55	50·2	6	1	26	23·7	6	
TOTAL . . .	275	277	52·4	..	2	..	17	14	9	3	110	20·8	17	
Pondicherry . . .	68	70	53·5	..	1	..	4	2	5	3	23	17·8	10	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Small-pox ; P. = Plague ; F. = Fever ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I. D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th February, 1959—*contd.*

Deaths from :—														
Towns	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Punjab														
Ambala . . .	63	45	37·3	1	2	8	..	13	10·8	5	
Amritsar . . .	367	207	29·4	3	26	2	78	11·1	19	
Batala . . .	68	35	26·8	4	..	2	..	14	10·7	1	
Bhiwani . . .	60	50	43·4	5	..	4	..	12	10·4	1	
Ferozepur . . .	48	37	40·2	3	..	7	7·6	1	
Hissar . . .	42	28	34·8	1	3	..	5	6·2	1	
Hoshiarpur . . .	56	26	24·2	3	1	2	..	12	11·2	2	
Jullundur . . .	240	142	30·8	14	..	9	..	40	8·7	7	
Karnal . . .	87	44	26·4	4	..	3	..	16	9·6	6	
Ludhiana . . .	200	158	41·2	8	1	3	..	48	12·5	16	
Moga†														
Panipat . . .	75	39	27·1	9	..	2	..	12	8·3	4	
Pathankot . . .	38	35	48·0	1	1	7	..	10	13·7	3	
Rewari . . .	37	32	45·1	4	6	8·5	1	
Rohtak †														
Simla . . .	54	32	30·9	1	1·0	1	
Sonepat †														
Bhatinda†														
Malerkotla †														
Patiala . . .	129	75	30·3	5	..	6	1	32	12·9	13	
TOTAL . . .	1,564	985	32·8	58	9	78	3	306	10·2	81	
Rajasthan														
Ajmer . . .	250	80	16·7	12	3	14	..	45	9·4	5	
Alwar . . .	61	23	19·6	1	5	4·3	2	
Beawar†														
Bharatpur†														
Bikaner †														
Churu . . .	54	8	7·7	
Ganganagar†														
Jaipur †														
Jodhpur†														
Kotah†														
Sikar†														
Tonk †														
Udaipur†														
TOTAL . . .	365	111	15·8	13	3	14	..	50	7·1	7	
Uttar Pradesh														
Agra . . .	414	390	49·1	1	4	49	..	106	13·3	19	
Allahabad . . .	381	170	23·3	1	15	..	49	6·7	17	
Amroha . . .	62	49	41·2	4	1	4	1	18	15·1	5	
Bahraich . . .	49	40	42·6	1	2	1	5	5·3	2	
Banaras . . .	426	320	39·2	32	1	12	..	135	16·5	33	
Banda †														
Bareilly . . .	206	67	16·9	10	1	14	..	34	8·6	1	
Basti†														
Ballia†														
Bijnor . . .	33	15	23·7	1	..	3	..	6	9·5	..	
Budaun . . .	55	25	23·7	3	..	2	..	10	9·5	2	
Bulandshahr . . .	45	4	4·6	1	2	2·3	..	
Chandausi . . .	45	35	40·5	2	2	4	..	11	12·7	3	
Dehra Dun . . .	187	72	20·1	2	..	12	3·3	1	
Etawah . . .	67	35	27·2	4	..	3	..	14	10·9	6	
Faizabad-Ayodhya†														
Farukhabad-Fatehgarh . . .	79	42	27·7	..	3	..	6	2	8	..	21	13·9		
Firozabad . . .	95	17	9·3	3	5	2·7	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th February, 1959—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Ghazipur	36	14	20.3	1	..	1	..	4	5.8	1	
Ghaziabad	72	32	23.2	2	3	2.2	1	
Gonda	36	10	14.5	1	..	3	4.3	..	
Gorakhpur	155	100	33.6	9	5	7	..	33	11.1	9	
Hapur	67	42	32.7	3	..	1	..	6	4.7	..	
Hardwar	76	24	16.5	3	..	2	..	14	9.6	5	
Hathras	66	42	33.2	3	..	4	..	10	7.9	1	
Jaunpur	60	30	26.1	3	1	2	..	10	8.7	..	
Jhansi	135	73	28.2	21	2	1	..	27	10.4	8	
Kanpur	842	397	24.6	112	23	42	8	300	18.6	66	
Kasganj	34	18	27.6	2	2	3.1	..	
Khurja	41	33	42.0	4	4	5.1	..	
Koili-Aligarh	171	45	13.7	1	1	2	..	12	3.6	..	
Lucknow†	
Mathura	121	81	34.9	..	1	..	10	..	3	..	18	7.7	1	
Mau-Nath Bhanjan	40	32	41.7	2	1	3	1	9	11.7	..	
Meerut	203	117	30.0	8	1	9	1	28	7.2	4	
Mirzapur-Vindhyachal	102	56	28.6	7	3	3	..	19	9.7	4	
Moradabad	166	110	34.5	7	1	15	..	39	12.2	14	
Muzaffarnagar	83	27	17.0	2	..	2	..	8	5.0	4	
Pilibhit	48	24	26.1	4	..	3	..	18	19.5	1	
Rampur	188	11	3.0	4	..	1	..	7	1.9	3	
Saharanpur	183	113	32.2	29	..	1	1	38	10.8	7	
Sambhal†	
Sitapur †	
Shahjahanpur†	
TOTAL	5,069	2,712	27.9	..	4	..	304	51	221	13	1,040	10.7	219	

West Bengal

"N.R."

ARREAR INFORMATION**Andhra Pradesh**

w/e 24-1-59

Adoni	76	39	26.7	1	3	2	..	9	6.2	3
Anantpur	44	37	43.7	1	3	1	9	10.6	1
Anakapalli	52	26	26.0	1	..	14	14.0	2
Bhimavaram	43	16	19.3	4	1	11	13.3	3
Chirala	50	22	22.9	1	2	7	7.3	1
Chittoor†
Cuddapah	47	31	34.3	2	..	2	1	9	10.0	2
Ellore	112	29	13.5	5	..	1	..	22	10.2	3
Gudivada	41	31	39.3	1	1	7	8.9	1
Guntur	175	113	33.6	4	..	5	1	50	14.9	20
Guntakal	45	24	37.3	2	1	1	..	11	17.1	1
Kakinada	127	43	17.6	4	1	13	5.3	2
Kurnool	76	78	53.4	..	1	..	2	3	2	..	31	21.2	8
Masulipatnam . . .	98	35	18.6	3	..	15	17.9	1
Nandyal	41	34	43.1	1	1	..	2	11	13.9	3
Nellore	111	83	30.8	4	6	3	2	..	53	24.8	3
Proddutur	47	24	26.5	2	9	10.0	2
Rajahmundry†
Tenali	78	75	50.0	1	3	3	..	15	10.0	5
Vijayawada	271	123	23.6	19	2	8	..	76	14.6	17
Visakhapatnam . . .	155	48	16.1	..	1	..	5	8	7	..	29	9.7	8
Vizianagaram	83	53	33.2	6	2	5	..	41	25.7	8
Hyderabad	1,302	446	17.8	..	1	..	21	3	10	..	93	3.7	9
Warrangal†
Nizamabad	85	11	6.7	3	..	4	2.4	..
Kothagudiam	80	13	8.5	4	2.6	..
Secunderabad	195	147	3.92	3	..	6	..	33	8.8	6
TOTAL	3,434	1,581	23.9	6	3	..	88	35	64	5	576	8.7	109

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R. D.—Respiratory Diseases ; M. D.—Maternal Deaths ; D. R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 35,000 and over in India for the week ending the 7th February, 1959—*contd.*

Town	Mid-Year Popn. Est. (000)	Death from											D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Andhra Pradesh—contd.															
w/e 31-1-1959															
Adhoni†															
Anantpur	44	30	35.5	1	3	1	6	7.1	2		
Anakapalli	52	39	39.0	2	1	2	15	15.0	4		
Bhimavaram	43	49	59.2	1	9	10.9	..		
Chirala	50	23	23.9	1	4	1	1	..	14	14.6	2		
Chittoor	51	20	20.4	1	1	4	4.1	1		
Cuddapah.	47	42	46.5	2	..	2	..	15	16.6	3		
Ellore	112	79	36.7	2	2	1	..	18	8.4	..		
Gudivada	41	33	41.8	3	..	2	..	10	12.7	..		
Guntur	175	173	51.4	2	1	6	1	70	20.8	13		
Guntakal	45	16	24.9	2	1	2	1	15	23.3	3		
Kakinada	127	38	15.5	..	6	..	2	1	15	6.1	3		
Kurnool	76	80	54.7	3	5	5	..	35	23.9	8		
Masulipatnam	98	87	46.2	3	..	16	8.5	3		
Nandyal	41	19	24.1	1	2	10	12.7	1		
Nellore	111	85	39.8	7	1	2	3	1	35	16.4	1		
Proddutur	47	31	34.3	2	1	2	..	15	16.6	1		
Rajahmundry†															
Tenali	78	68	45.4	1	3	..	4	..	22	14.7	7		
Vijayawada	271	129	24.8	10	1	7	1	47	9.0	12		
Visakhapatnam	155	62	20.8	10	13	14	..	59	19.8	12		
Vizilangaram†															
Hyderabad†															
Warrangal†															
Nizamabad	85	14	8.6	1	..	3	..	5	3.1	1		
Kothagudiam	80	9	5.9	3	2.0	..		
Secunderabad	195	109	29.1	3	1	5	..	41	10.4	7		
TOTAL	2040	1235	31.7	9	6	..	53	33	64	9	479	12.3	84		

Bihar*w/e 24-2-1959*

Arrah	75	12	8.3	3	..	1	..	4	2.8	..		
Bettiah	41	12	15.2	3	3.8	..		
Bhagalpur	136	24	9.2	2	18	6.7	..		
Bihar	71	15	11.0	2	6	4.4	..		
Chapra	73	55	39.2	9	6.4	4		
Darbhanga	100	19	9.9	1	2	13	6.8	..		
Dhanbad	50	9	19.4	1	..	1	..	5	5.2	..		
Dinapur	45	2	2.3	2	2.3	..		
Gaya†															
Hazaribagh	44	14	16.5	4	4.7	..		
Jamapur	49	14	14.9	1	1	1.1	..		
Jamshedpur	275	157	29.7	1	..	1	..	12	2.9	2		
Katihar	63	10	8.3	2	1.7	..		
Monghyr†															
Muzaffarpur†															
Patna	386	89	12.0	6	1	24	3.2	..		
Ranchi	167	16	5.0	4	13	4.0	5		
TOTAL	1575	448	14.8	21	3	3	..	116	3.8	7		

w/e 31-1-59

Arrah	75	12	8.3	3	..	1	..	4	2.8	..		
Bettiah	41	6	7.9	2	3	4.0	..		
Bhagalpur	136	22	8.4	6	16	6.1	..		
Bihar	71	8	5.9	1	0.7	..		
Chapra	73	34	24.2	1	13	9.3	2		
Darbhanga	100	17	8.8	3	1	4	..	10	5.2	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th February, 1959—*contd*

ARREAR INFORMATION

Towns	Mid-year popn. Est. (000)	Deaths from :—											D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Bihar—contd.															
w/e 31-1-59															
Dhanbad	50	12	12.5	4	4.2	
Dinapur	45	2	2.3	
Gaya	163	23	7.3	13	6	34	10.8	
Hazaribagh	44	10	11.8	2	2.4	1	..	
Jamalspur	49	7	7.4	6	..	1	1.1	
Jamshedpur	275	139	26.3	..	1	19	3.6	4	..	
Katihar	63	
Monghyr†	
Muzaffarpur	95	41	22.4	2	1	14	7.7	
Patna	386	122	16.4	4	2	34	4.6	
Ranchi	167	25	7.8	7	1	19	5.9	1	..	
TOTAL	1,833	480	13.6	..	1	..	41	11	11	..	174	4.9	8	..	
Bombay															
w/e 20-12-58															
Ahmedabad	1001	697	36.2	..	1	..	27	7	82	..	332	17.2	108	..	
Ahmednagar	112	63	29.3	..	3	..	2	1	2	..	20	9.3	7	..	
Amalner	55	24	22.7	3	..	1	..	8	7.6	1	..	
Baroda	277	258	48.4	15	4	14	1	65	12.2	13	..	
Barsi	49	33	35.0	3	18	11.7	2	..	
Bhusawal	76	31	21.2	1	1	3	..	15	10.3	2	..	
Broach	69	78	58.8	7	..	2	..	14	10.6	
Cambay	43	49	59.3	2	10	12.1	2	..	
Chalisgaon	39	16	21.3	3	7	9.3	3	..	
Dhulia	105	31	15.4	2	..	1	2	12	5.9	2	..	
Godhra	42	44	54.5	1	..	1	..	7	8.7	1	..	
Greater Bombay	4,344	1,939	23.2	..	1	29	108	3	697	8.3	164	..	
Jalgaon	91	23	13.1	5	..	2	..	12	6.9	2	..	
Kalyan	94	26	14.2	1	..	2	..	10	5.5	4	..	
Kolhapur	189	120	33.0	4	2	10	..	41	11.3	3	..	
Malegaon	77	51	34.4	10	..	2	..	22	14.9	4	..	
Miraj	48	32	34.7	7	7.6	1	..	
Nadiad	80	43	28.0	14	20	13.0	5	..	
Nandurbar	39	25	33.3	3	..	13	17.3	3	..	
Nasik	153	72	24.5	2	..	4	..	17	5.8	4	..	
Narsari	54	34	32.7	4	8	7.7	1	..	
Pandharpur	48	36	39.0	3	2	5	..	19	20.6	3	..	
Patna	50	47	48.9	3	..	5	..	16	16.6	3	..	
Poona	727	288	20.6	2	1	16	..	87	6.2	21	..	
Sangli	68	42	34.1	3	1	1	..	12	6.9	4	..	
Satara	43	29	35.1	1	..	5	..	20	24.2	2	..	
Sholapur	333	277	43.3	4	4	41	..	104	16.2	25	..	
Surat	279	206	38.4	11	5	14	1	94	17.5	31	..	
Thana †	
Bhavnagar	177	96	28.2	7	..	9	..	33	9.7	6	..	
Dhoraji	49	31	32.9	2	1	2	..	13	13.8	3	..	
Jamnagar	143	34	11.6	8	1	4	1	25	9.1	5	..	
Junagarh	67	62	48.1	6	1	1	3	27	21.0	2	..	
Morvi	44	19	22.5	1	3.2	1	..	
Porbander	69	41	30.9	8	1	2	..	23	17.3	7	..	
Gondal	43	28	33.9	..	1	..	4	..	1	..	7	8.5	
Rajkot	219	105	24.9	10	..	2	..	35	8.3	9	..	
Veraval	51	22	22.4	2	7	7.1	
Suendranagar	53	10	9.8	3	..	2	..	12	11.8	
Nagpur	624	558	46.5	23	13	18	3	221	18.4	80	..	
Achalpur†	
Akola	121	49	21.1	6	..	2	..	21	9.0	7	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .. =Nil, information.

Births and deaths from principal diseases in towns with a population of 3,000 and over in India for the week ending the 7th February, 1959—*contd*

Towns.	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	Deaths from 1—							Total D.	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.			
Bombay—contd.					w/e 24-1-59								
Chanda	46	14	15.3	2	..	3	..	7	7.9	..
Gondia	57	40	36.5	2	..	1	..	5	4.6	..
Hinganghat	37	29	40.8	3	11	15.5	3
Khamgaon	48	22	23.3	4	7	7.6	1
Wardhat
Ycetmal	46	21	23.7	3	2	4	..	17	17.2	6
Samptee	42	28	34.7	1	2	2.5	1
Amravati	115	78	35.0	10	5	4	..	31	15.2	7
Aurangabad	83	16	10.0	3	..	6	3.8	1
Lathur	47	14	15.3	1	..	4	4.3	..
Nanded	98	30	15.9	4	..	2	..	7	3.7	..
Parbhani	48	1	1.1	1	1	1.1	..
Jalga													
TOTAL	10,913	5,962	28.4	..	6	..	240	83	385	14	2,226	10.6	560
Delhi													
Delhi City	1,398	481	17.9	13	4	20	1	91	3.4	18
New Delhi	600	121	10.5	3	..	34	2.9	9
N. A. C. Civil. Station Delhi	229	90	20.4	..	2	..	1	..	3	..	21	4.8	7
Delhi Cantt	63	25	10.6
Delhi Shahdara	52	80	80.0	2	..	4	4.0	1
TOTAL	2,340	797	17.7	..	2	..	14	4	28	1	150	3.3	35
Kerala					w/e 24-1-59								
Alleppey†													
Changanacherry	44	32	23.6	1	..	1	..	5	5.9	..
Kottayam	52	53	53.1	1	3	2.8	..
Ernakulam	77	10	6.8	3	15	10.1	5
Marancherry	94	24	13.3	2	..	1	..	8	4.4	1
Quilon	62	97	61.5	1	1	..	6	3.8	1
Trichur	80	7	4.5	1	..	1	..	9	5.9	5
Trivandrum	247	146	51.7	3	2	9	..	30	6.2	4
Kozhikode	187	129	36.6	6	..	4	2	56	15.6	..
Palgha	82	63	39.5	4	1	4	..	29	18.4	..
Kannanore	49	19	20.2	1	..	1	..	12	12.7	..
Tellicherry	43	38	46.0	1	11	13.0	14
Cochin	33	29	45.7	2	..	10	17.3	3
TOTAL	12,65	637	30.9	21	6	24	2	1,94	9.4	38
Madhya Pradesh					w/e 24-1-59								
Bilaspur†													
Gurhanpur†													
Damoh	48	19	20.6	4	6	9	..	23	24.9	..
Jabalpur	277	255	47.8	9	2	39	..	61	11.4	11
Khandwa
Raipur†													
Murwar†													
Sagar†													
Chindwara†													
Raigarh	41	5	6.3	3	1	1	..	8	10.1	..
Itarsi†													
Greater Ceylon	304	49	8.3	2	1	3	..	15	2.5	1
Indore†													
Ratlam	84	17	10.5	10	..	14	..	24	14.8	..
Ujjain	190	57	15.6	6	1	..	1	31	8.4	6
Bhopal City†													
Mandsaur	50	1	1.0	1	..	2	..	3	3.1	..
TOTAL	994	403	21.0	35	11	63	1	165	8.7	18

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th February, 1959—*contd*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Orissa														
w/e 24-1-59														
Bhadrampur	84	64	39.6	4	6	1	2	28	17.3	4	
Cuttack	134	153	59.4	4	7	5	..	35	13.6	5	
Puri	57	64	58.4	6	4	39	26.5	3	
TOTAL	275	281	53.1	14	17	6	2	92	17.4	12	
Supplementary Figures														
Punjab														
w/e 31-1-1959														
Rohtak	100	43	22.4	5	..	1	..	11	5.7	4	
Sonepat	37	29	40.8	1	..	1	..	4	5.6	..	
Patiala	129	10	4.0	3	..	6	..	16	5.5	10	
Supplementary figures														
w/e 31-1-59														
Rajasthan														
Alwar	61	1	0.8	1	1	..	4	3.4	..	
Beawar	67	13	10.1	2	..	3	..	12	9.3	1	
Bikaner	118	57	25.1	2	..	5	..	19	8.3	1	
Ganganagar	65	8	6.4	2	..	2	..	5	4.0	..	
Kotah	85	8	4.8	..	3	..	11	..	5	..	25	15.2	4	
Sikar	57	5	4.2	1	1	0.9	..	
w/e 17-1-59														
Ganganagar	65	4	3.2	2	4	3.2	..	
w/e 10-1-59														
Ganganagar	65	4	3.2	4	..	1	..	5	4.0	..	
West Bengal														
w/e 24-1-1959														
Asansol	99	3	1.6	2	1.1	..	
Baidyabati†	76	5	4.1	..	1	..	1	..	1	..	7	4.8	..	
Bally	
Bankura†	
Bansberia†	
Baranagar	103	25	12.7	2	4	..	10	5.1	2	
Basirhat	44	9	10.7	2	2.4	..	
Berhampur	71	1	1	1	..	10	7.3	..	
Bhadreswar	45	4	4.6	2	..	4	..	6	7.0	..	
Bhatpara	152	28	9.6	4	..	1	..	18	6.2	2	
Burdwan	87	25	15.0	..	1	3	..	9	5.4	..	
Calcutta	2,982	1,306	22.8	..	1	..	25	40	151	4	573	10.0	138	
Champradani	41	13	16.5	3	3.8	..	
Cooch-Behar†	
Darjeeling	40	15	19.6	3	8	10.4	..	
English Bazar	38	4	5.5	1	1.4	..	
Garden Reach	134	14	5.4	2	1	..	2	10	3.9	4	
Halisahar	44	2	2.4	1	1.2	..	
Hooghly-Chinsura	64	42	34.2	3	..	1	..	11	9.0	2	
Howrah	486	154	16.5	3	7	44	..	111	11.9	42	
Jalpaiguri†	
Kamarhati†	
Kanchrapura	105	
Krishnagar	73	1	0.7	..	
Midnapur	47	24	26.6	3	2	1	..	20	22.2	..	
Nabadwip	88	33	19.6	3	..	1	..	10	5.9	1	
Naihati	69	5	3.8	2	..	3	2.3	..	
North Barrackpore	37	5	7.0	
Panihati	76	2	1.4	3	2.1	2	
Santipur	57	8	7.3	1	1	0.9	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births, B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th February, 1959—*concl'd.*

Town	Mid-year Popn. Est. (000)	B.	Deaths from :—								Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.			
West Bengal—contd.		w/e 24-1-59											
Schrampur . . .	95	37	20.3	..	1	..	1	..	3	1	14	7.7	3
Siliguri†	1	0.5	..
South Dum Dum . .	114	1	0.5	..
South Suburban . .	157	27	9.0	3	2	6	..	15	5.0	7
Titagarh . . .	86	18	10.9	12	..	2	..	15	9.1	2
Purulia . . .	53	6	5.9	..	1	..	1	2	2.0	..
Budge Budge . . .	32	20	32.6	1	..	1	..	4	6.5	..
Chandranagore . .	62	43	36.2	2	1	..	23	19.3	..
Kharagpur . . .	87	4	2.4
TOTAL . . .	5,744	1,882	17.1	..	5	..	68	57	227	7	894	8.1	205.

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever, D. D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information.

REMARKS

The figures of births and deaths in this statement for week ending 7th February 1959 relate to 127 towns from the States of Bihar, Delhi, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population of 19,636 thousands out of the total population of 48,445 thousands in 324 towns of the country. The number of births and deaths recorded in these

towns were 10,087 and 3,594 registering birth and death rates of 26.7 and 10.6 per thousand of population respectively.

The following table gives the registered rates for the different States :—

States	Current w/e 3-1-1959		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bihar	13.5	3.8	19.3	7.0
Delhi	17.6	7.7	20.9	6.1
Madras	31.4	14.0	28.9	16.6
Mysore	25.7	9.2	21.5	11.1
Orissa	52.4	20.8	46.1	22.3
Pondicherry	53.5	17.8	48.2	18.4
Punjab	32.8	10.2	37.5	8.1
Rajasthan	15.8	7.1	16.4	8.0
Uttar Pradesh; . . .	27.9	10.7	30.2	11.8
Ind	26.7	10.6	27.1	11.7

NEW DELHI-2 (INDIA);
The 2nd March, 1959

H. R. SHARMA,
for Registrar General, India.

